

LED Traffic Light Signals Ø 300mm Series



JD300-3-FYSM-2

Volts: 110/220VAC/24VDC
 Watts: R. 13W, G. 13W
 Luminous Intensity: >500CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 740mmx370mmx160mm
 N.W: 11.4KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 820mm x380mm x440mm
 Packing G.W: 25KG



CD300-3-FYSM-2

Volts: 110/220VAC/24VDC
 Watts: R. 6W, G. 7W
 Luminous Intensity: >300CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 740mmx370mmx160mm
 N.W: 11.4KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 820mm x380mmx440mm
 Packing G.W: 25KG



JD300-3-FYSM-3

Volts: 110/220VAC/24VDC
 Watts: R. 13W, G. 13W, Y. 12W
 Luminous Intensity: >500CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 1110mmx370mmx160mm
 N.W: 16KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 1190mmx380mmx440mm
 Packing G.W: 34KG



FX300-3-FYSM-3

Volts: 110/220VAC/24VDC
 Watts: R. 6W, G. 7W, Y. 5W
 Luminous Intensity: >300CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 1110mmx370mmx160mm
 N.W: 16KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 1190mmx380mmx440mm
 Packing G.W: 34KG



JD300-3-FYSM-3A

Volts: 110/220VAC/24VDC
 Watts: R. 13W, G. 13W, Y. 12W
 Luminous Intensity: >500CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 1110mmx370mmx160mm
 N.W: 16KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 1190mmx380mmx440mm
 Packing G.W: 34KG



FJ300-3-FYSM-3

Volts: 110/220VAC/24VDC
 Watts: R. 6W, G. 7W, Y. 5W
 Luminous Intensity: >300CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 1110mmx370mmx160mm
 N.W: 16KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 1190mmx380mmx440mm
 Packing G.W: 34KG

LED Traffic Light Signals Ø 300mm Series



FX300-3- FYSM-4

Volts: 110/220VAC/24VDC
 Watts: R. 13W, G. 7Wx2, Y. 12W
 Luminous Intensity: >500CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 1480mmx370mmx160mm
 N.W: 21KGS/PC



FX300-3- FYSM-5

Volts: 110/220VAC/24VDC
 Watts: R. 13W, G. 7Wx3, Y. 12W
 Luminous Intensity: >500CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 1850mmx370mmx160mm
 N.W: 26KGS/PC



RX300-3- FYSM-2

Volts: 110/220VAC/24VDC
 Watts: R. 5W, G. 7W
 Luminous Intensity: >300CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 740mmx370mmx160mm
 N.W: 11.4KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 820mm x380mm x440mm
 Packing G.W: 25KG



RX300-3- FYSM-2-A

Volts: 110/220VAC/24VDC
 Watts: R. 5W, G. 7W
 Luminous Intensity: >300CD
 Housing Material: De-Casting Aluminium/PC
 Appearance Size: 740mmx370mmx160mm
 N.W: 11.4KGS/PC
 Packing Manner: 2Units/CTN
 Packing Dimension: 820mm x380mm x440mm
 Packing G.W: 25KG



**Solar Powered Traffic Yellow Flashing Signal
SG300-3-FYSM-1**


Volts: 12VDC
 Watts: 3W
 Luminous Intensity: >200CD
 Housing Material: PC
 Appearance Size: 35cmx35cmx16cm
 N.W:15KG/PCS



**Solar Powered Traffic Alarming Signal
SG300-3-FYSM-1A**

Volts: 12VDC
 Watts: 3W
 Luminous Intensity: >200CD
 Housing Material: PC
 Appearance Size: 35cmx35cmx16cm
 N.W:15KG/PCS

LED Traffic Light Signals Ø 300mm Series



DX-JD300-3-FYSM-3-YR

Volts: 110/220VAC/24VDC
Watts: 13W
Luminous Intensity: ≥ 400 CD
Wavelength: 625 ± 5 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm



DX-RX300-3-FYSM-2-G

Volts: 110/220VAC/24VDC
Watts: 7W
Luminous Intensity: ≥ 300 CD
Wavelength: 505 ± 2 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm



DX-JD300-3-FYSM-3-YY

Volts: 110/220VAC/24VDC
Watts: 11W
Luminous Intensity: ≥ 400 CD
Wavelength: 590 ± 5 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm



DX-FX300-3-FYSM-3-JR

Volts: 110/220VAC/24VDC
Watts: 6W
Luminous Intensity: ≥ 300 CD
Wavelength: 625 ± 5 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm



DX-JD300-3-FYSM-3-YG

Volts: 110/220VAC/24VDC
Watts: 13W
Luminous Intensity: ≥ 500 CD
Wavelength: 505 ± 2 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm



DX-FX300-3-FYSM-3-JY

Volts: 110/220VAC/24VDC
Watts: 5W
Luminous Intensity: ≥ 300 CD
Wavelength: 590 ± 5 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm



DX-RX300-3-FYSM-2-R

Volts: 110/220VAC/24VDC
Watts: 5W
Luminous Intensity: ≥ 300 CD
Wavelength: 625 ± 5 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm



DX-FX300-3-FYSM-3-JG

Volts: 110/220VAC/24VDC
Watts: 7W
Luminous Intensity: ≥ 300 CD
Wavelength: 590 ± 5 nm
Housing Material: PC
Module Size: $\varnothing 300$ mmx80mm